



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/790,992	03/02/2004	Mikhail Nemenov		1316

7590 05/23/2007
JOHN R. ROSS
PO BOX 2138
DEL MAR, CA 92014

EXAMINER

JOHNSON III, HENRY M

ART UNIT	PAPER NUMBER
----------	--------------

3739

MAIL DATE	DELIVERY MODE
-----------	---------------

05/23/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/790,992

Applicant(s)

NEMENOV ET AL.

Examiner

Henry M. Johnson, III

Art Unit

3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 February 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 12-27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 12-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 February 2007 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____.
- ☐ Notice of Informal Patent Application
- ☐ Other: _____.

Response to Arguments

Applicant's arguments filed February 27, 2007 have been fully considered but they are not persuasive. The applicant has not provided adequate data to remove the prior art in which one of the inventors is a coauthor. Per MPEP § 2132.01, where the applicant is one of the co-authors of a publication cited against his or her application, the publication may be removed as a reference by the filing of affidavits made out by the other authors establishing that the relevant portions of the publication originated with, or were obtained from, applicant. Such affidavits are called disclaiming affidavits. *Ex parte Hirschler*, 110 USPQ 384 (Bd. App. 1952). The rejection can also be overcome by submission of a specific declaration by the applicant establishing that the article is describing applicant's own work. *In re Katz*, 687 F.2d 450, 215 USPQ 14 (CCPA 1982). However, if there is evidence that the co-author has refused to disclaim inventorship and believes himself or herself to be an inventor, applicant's affidavit will not be enough to establish that applicant is the sole inventor and the rejection will stand. *Ex parte Kroger*, 219 USPQ 370 (Bd. Pat. App. & Int. 1982) (discussed below).

Drawings

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference characters "20" and "26" have both been used to designate controller. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and

Art Unit: 3739

informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The delivery fiber is labeled "29" in the figures, yet is cited as "18" in the specification (page 15).

Specification

35 U.S.C. 112, first paragraph, requires the specification to be written in "full, clear, concise, and exact terms." The specification is replete with terms, which are not clear, concise and exact. The specification should be revised carefully in order to comply with 35 U.S.C. 112, first paragraph. Examples cited in the last office action were corrected, however the full specification was not reviewed carefully, leaving additional unclear items such as "To the best of the applicant's knowledge, here are not any data..." found on page 17.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 27 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Stimulation of a single nerve cell is new matter.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

Art Unit: 3739

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 12-15 and 17-27 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 12 recites the limitation "said system" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Claim 12 is indefinite for cited both a portion or all of a laser pulse to a target making it unclear if all or just a portion is required in the process.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 12-15, 17 and 23-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over "Inward currents in primary nociceptive neurons of the rat and pain sensations in humans elicited by infrared diode laser pulses"; Greffrath et al.; International Association for the Study of

Art Unit: 3739

Pain, September 2002. Greffrath et al. Greffrath et al. teaches that stimulation of the human skin with radiant heat stimuli generated by infrared lasers typically leads to a stinging and/or burning sensation. This painful sensation is mediated through activation of peripheral endings of A δ - and C-fiber nociceptors. A personal computer controlled laser platform based on six GaInAs/GaAs laser diodes (980 nm wavelength) yielding up to 15 W output power into a flexible glass fiber core is disclosed for thermal stimulation. Stimulus intensity was changed by varying the laser power (2.8–11 W) and/or stimulus duration (4–400 ms). The small durations and interval clearly indicate the treatment is pulsed. The interstimulus interval following the appearance of I_{heat} was at least 44 s. Greffrath et al. disclose treatment beam diameters from 0.36 to 1.2 millimeters. A skilled artisan would select a spot size most appropriate for the desired treatment.

Claims 18-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Greffrath et al. as applied to claim 12 above, and further in view of "A Laser Stimulator for the Study of Cutaneous Thermal and Pain Sensations", Meyer et al., Biomedical Engineering, IEEE Transactions on Biomedical Engineering, Volume: BME-23, Issue: 1, January 1976. Greffrath et al. are discussed above, but do not teach closed loop temperature control. Meyer et al. teach the laser stimulation of nerves using a radiometer to provide temperature feedback to the laser control (Fig. 3). It would have been obvious to one skilled in the art to use the temperature feedback as taught by Meyer et al. in the invention of Greffrath et al. as such feedback control is pervasive in the art.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Greffrath et al. as applied to claim 12 above, and further in view of U.S. Patent 6,233,480 to Hochman et al. Greffrath et al. are discussed above, but do not teach single cell differentiation. Hochman et al. teach the imaging of single nerve cells, thus enabling the targeting of a single cell. It would

have been obvious to one skilled in the art to imaging as taught by Hochman et al. in the invention of Greffrath et al. to identify a single nerve cell as a target for stimulation.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Henry M. Johnson, III whose telephone number is (571) 272-4768. The examiner can normally be reached on Monday through Friday from 6:00 AM to 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C. Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3739

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Henry M. Johnson, III
Primary Examiner
Art Unit 3739